

```

1
PARAMETER          Sensor2      SensorM      Sensor1
Shutter Speed MicroS      696      965      183
Shutter Speed milliS      0.70      0.96      0.18
Shutter Speed Seconds      0.001      0.001      0.000

Shutter Speed Fraction      1/1437      1/1036      1/5464

Deviation from centre decimal      -0.47      -0-      -2.40
Deviation from centre /3      -0 1/3      -0-      --2 1/3
-----
Shutter Speed Nearest      1/2048      1/1024      1/4096

Deviation from nearest decimal      0.51      0.51      -0.42
Deviation from nearest /3      +0 1/3      --      -0 1/3

Curtain 2 & 1 Travel MilliS      13.5      13.0

Curtain 1 travel time second half      6.0      first half      7.0
Curtain 2 travel time second half      5.7      first half      7.8

Curtain 1 travel time      2--<<<-- 6.0--<<<--M--<<<-- 7.0--<<<--1
Curtain 2 travel time      2--<<<<-- 5.7--<<<--M--<<<-- 7.8--<<<--1

```

Flash input not detected

Ready...

```

2
PARAMETER          Sensor2      SensorM      Sensor1
Shutter Speed MicroS      1547      1925      1554
Shutter Speed milliS      1.55      1.92      1.55
Shutter Speed Seconds      0.002      0.002      0.002

Shutter Speed Fraction      1/646      1/519      1/644

Deviation from centre decimal      -0.32      -0-      -0.31
Deviation from centre /3      --      -0-      --
-----
Shutter Speed Nearest      1/512      1/512      1/512

Deviation from nearest decimal      -0.34      -0.34      -0.33
Deviation from nearest /3      -0 1/3      --      --

Curtain 2 & 1 Travel MilliS      13.5      13.5

Curtain 1 travel time second half      6.1      first half      7.4
Curtain 2 travel time second half      5.7      first half      7.8

Curtain 1 travel time      2--<<<-- 6.1--<<<--M--<<<-- 7.4--<<<--1
Curtain 2 travel time      2--<<<<-- 5.7--<<<--M--<<<-- 7.8--<<<--1

```

Flash input not detected

Ready...

```

3
PARAMETER          Sensor2      SensorM      Sensor1
Shutter Speed MicroS      3194      3634      3154
Shutter Speed milliS      3.19      3.63      3.15
Shutter Speed Seconds      0.003      0.004      0.003

Shutter Speed Fraction      1/313      1/275      1/317

Deviation from centre decimal      -0.19      -0-      -0.20
Deviation from centre /3      --      -0-      --
-----
Shutter Speed Nearest      1/256      1/256      1/256

Deviation from nearest decimal      -0.29      -0.29      -0.31
Deviation from nearest /3      --      --      --

Curtain 2 & 1 Travel MilliS      13.7      13.6

Curtain 1 travel time second half      6.2      first half      7.4
Curtain 2 travel time second half      5.8      first half      7.9

```

Curtain 1 travel time 2--<<<-- 6.2--<<<--M--<<<-- 7.4--<<<--1  
Curtain 2 travel time 2--<<<<-- 5.8--<<<--M--<<<-- 7.9--<<<--1

Flash input not detected

Ready....

4

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	7010	7401	7253
Shutter Speed milliS	7.01	7.40	7.25
Shutter Speed Seconds	0.007	0.007	0.007

Shutter Speed Fraction	1/143	1/135	1/138
------------------------	-------	-------	-------

Deviation from centre decimal	-0.08	-0-	-0.03
-------------------------------	-------	-----	-------

Deviation from centre /3	--	-0-	--
--------------------------	----	-----	----

Shutter Speed Nearest	1/128	1/128	1/128
-----------------------	-------	-------	-------

Deviation from nearest decimal	-0.16	-0.16	-0.11
--------------------------------	-------	-------	-------

Deviation from nearest /3	--	--	--
---------------------------	----	----	----

Curtain 2 & 1 Travel MilliS	13.7		14.0
-----------------------------	------	--	------

Curtain 1 travel time second half	6.2	first half	7.8
-----------------------------------	-----	------------	-----

Curtain 2 travel time second half	5.8	first half	7.9
-----------------------------------	-----	------------	-----

Curtain 1 travel time 2--<<<-- 6.2--<<<--M--<<<-- 7.8--<<<--1

Curtain 2 travel time 2--<<<<-- 5.8--<<<--M--<<<-- 7.9--<<<--1

Flash input not detected

Ready....

5

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	16545	17213	16875
Shutter Speed milliS	16.55	17.21	16.88
Shutter Speed Seconds	0.017	0.017	0.017

Shutter Speed Fraction	1/60	1/58	1/59
------------------------	------	------	------

Deviation from centre decimal	-0.06	-0-	-0.03
-------------------------------	-------	-----	-------

Deviation from centre /3	--	-0-	--
--------------------------	----	-----	----

Shutter Speed Nearest	1/64	1/64	1/64
-----------------------	------	------	------

Deviation from nearest decimal	0.08	0.08	0.11
--------------------------------	------	------	------

Deviation from nearest /3	--	--	--
---------------------------	----	----	----

Curtain 2 & 1 Travel MilliS	14.6		14.9
-----------------------------	------	--	------

Curtain 1 travel time second half	6.8	first half	8.2
-----------------------------------	-----	------------	-----

Curtain 2 travel time second half	6.1	first half	8.5
-----------------------------------	-----	------------	-----

Curtain 1 travel time 2--<<<-- 6.8--<<<--M--<<<-- 8.2--<<<--1

Curtain 2 travel time 2--<<<<-- 6.1--<<<--M--<<<-- 8.5--<<<--1

Curtains fully open (between the two sensors)

Flash input not detected

Ready....

6

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	29008	30030	29304
Shutter Speed milliS	29.01	30.03	29.30
Shutter Speed Seconds	0.029	0.030	0.029

Shutter Speed Fraction	1/34	1/33	1/34
------------------------	------	------	------

Deviation from centre decimal	-0.05	-0-	-0.04
-------------------------------	-------	-----	-------

Deviation from centre /3	--	-0-	--
--------------------------	----	-----	----

Shutter Speed Nearest	1/32	1/32	1/32
Deviation from nearest decimal	-0.11	-0.11	-0.09
Deviation from nearest /3	--	--	--
Curtain 2 & 1 Travel MilliS	15.6		15.9
Curtain 1 travel time second half	7.3	first half	8.6
Curtain 2 travel time second half	6.3	first half	9.3
Curtain 1 travel time	2---<<<-- 7.3---<<<--M---<<<--		8.6---<<<--1
Curtain 2 travel time	2---<<<<-- 6.3---<<<--M---<<<--		9.3---<<<--1

Curtains fully open (between the two sensors)  
Flash input not detected

=====

Ready....

7

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	43844	44664	42833
Shutter Speed milliS	43.84	44.66	42.83
Shutter Speed Seconds	0.044	0.045	0.043
Shutter Speed Fraction	1/23	1/22	1/23
Deviation from centre decimal	-0.03	-0-	-0.06
Deviation from centre /3	--	-0-	--

---

Shutter Speed Nearest	1/32	1/32	1/32
Deviation from nearest decimal	0.49	0.49	0.45
Deviation from nearest /3	+0 1/3	+0 1/3	+0 1/3
Curtain 2 & 1 Travel MilliS	17.1		16.1
Curtain 1 travel time second half	7.4	first half	8.7
Curtain 2 travel time second half	6.6	first half	10.5
Curtain 1 travel time	2---<<<-- 7.4---<<<--M---<<<--		8.7---<<<--1
Curtain 2 travel time	2---<<<<-- 6.6---<<<--M---<<<--		10.5---<<<--1

Curtains fully open (between the two sensors)  
Flash input not detected

=====

Ready....

8

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	163724	164970	164226
Shutter Speed milliS	163.72	164.97	164.23
Shutter Speed Seconds	0.164	0.165	0.164
Shutter Speed Fraction	1/6	1/6	1/6
Deviation from centre decimal	-0.01	-0-	-0.01
Deviation from centre /3	--	-0-	--

---

Shutter Speed Nearest	1/8	1/8	1/8
Deviation from nearest decimal	0.39	0.39	0.39
Deviation from nearest /3	+0 1/3	+0 1/3	+0 1/3
Curtain 2 & 1 Travel MilliS	15.7		16.2
Curtain 1 travel time second half	7.5	first half	8.7
Curtain 2 travel time second half	6.3	first half	9.4
Curtain 1 travel time	2---<<<-- 7.5---<<<--M---<<<--		8.7---<<<--1
Curtain 2 travel time	2---<<<<-- 6.3---<<<--M---<<<--		9.4---<<<--1

Curtains fully open (between the two sensors)  
Flash input not detected

=====

Ready....

9

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	246529	247451	246224
Shutter Speed milliS	246.53	247.45	246.22
Shutter Speed Seconds	0.247	0.247	0.246
Shutter Speed Fraction	1/4	1/4	1/4
Deviation from centre decimal	-0.01	-0-	-0.01
Deviation from centre /3	--	-0-	--
Shutter Speed Nearest	1/4	1/4	1/4
Deviation from nearest decimal	-0.02	-0.02	-0.02
Deviation from nearest /3	--	--	--
Curtain 2 & 1 Travel MilliS	15.9		15.6
Curtain 1 travel time second half	7.2	first half	8.4
Curtain 2 travel time second half	6.3	first half	9.6
Curtain 1 travel time	2--<<<-- 7.2--<<<--M--<<<--	8.4--<<<--1	
Curtain 2 travel time	2--<<<<-- 6.3--<<<--M--<<<--	9.6--<<<--1	
Curtains fully open (between the two sensors)			
Flash input not detected			

Ready....

10

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	367640	368391	366730
Shutter Speed milliS	367.64	368.39	366.73
Shutter Speed Seconds	0.368	0.368	0.367
Shutter Speed Fraction	1/3	1/3	1/3
Deviation from centre decimal	-0.00	-0-	-0.01
Deviation from centre /3	--	-0-	--
Shutter Speed Nearest	1/4	1/4	1/4
Deviation from nearest decimal	0.56	0.56	0.55
Deviation from nearest /3	+0 1/3	+0 1/3	+0 1/3
Curtain 2 & 1 Travel MilliS	16.4		15.5
Curtain 1 travel time second half	7.2	first half	8.3
Curtain 2 travel time second half	6.4	first half	10.0
Curtain 1 travel time	2--<<<-- 7.2--<<<--M--<<<--	8.3--<<<--1	
Curtain 2 travel time	2--<<<<-- 6.4--<<<--M--<<<--	10.0--<<<--1	
Curtains fully open (between the two sensors)			
Flash input not detected			

Ready....

11

PARAMETER	Sensor2	SensorM	Sensor1
Shutter Speed MicroS	679535	680035	677174
Shutter Speed milliS	679.53	680.03	677.17
Shutter Speed Seconds	0.680	0.680	0.677
Shutter Speed Fraction	3/5	3/5	3/5
Deviation from centre decimal	-0.00	-0-	-0.01
Deviation from centre /3	--	-0-	--
Shutter Speed Nearest	1/2	1/2	1/2
Deviation from nearest decimal	0.44	0.44	0.44
Deviation from nearest /3	+0 1/3	+0 1/3	+0 1/3
Curtain 2 & 1 Travel MilliS	17.8		15.4

Curtain 1 travel time second half	7.1	first half	8.3
Curtain 2 travel time second half	6.6	first half	11.2
Curtain 1 travel time	2--<<<--	7.1--<<<--M--<<<--	8.3--<<<--1
Curtain 2 travel time	2--<<<<--	6.6--<<<--M--<<<--	11.2--<<<--1

Curtains fully open (between the two sensors)  
Flash input not detected

=====